



Head Sales Office: 801, Brickell Avenue, Miami FL 33131, USA, Tel: +1-305-888 3775 / Fax: +1-305-402 0120
 Europe and Africa Sales Office: 1, Archbishop Kyprianou Str. 1st Fl. Limassol, CYPRUS. Tel. +357-992 94 992
 Middle East Sales Office: Sin-Ei-Fil, Ericsson Bldg. 5th Fl. Beirut LEBANON. Tel +961-3-617617. Fax 1- 511513
 Gulf & W.Asia Sales office: Al-Maktoum str. Maidan Twr 2, #406. Dubai, UAE. Tel: +971-42240924/ 50-4763075
 Email: sales@electromedia-intl.com / Website: www.electromedia-intl.com

Electro MEDIA LED MESSAGE DISPLAYS


PH7.62mm Moving message signs

One-line moving message sign



Pitch=7.62mm

Full Matrix	Sign Size L*H*D(mm)	Gross Weight (kg)	Max. Char./Ht	Max.Power (w)
7*40	372*108*44	2	5 Char./2.1"	15
7*80	677*108*44	3.4	10 Char./2.1"	30
7*120	982*108*44	4.3	15 Char./2.1"	45
7*160	1287*108*44	5	20 Char./2.1"	60
7*200	1592*108*44	6	25 Char./2.1"	75
7*240	1897*108*44	7	30 Char./2.1"	90




Two-line moving message sign




Pitch=7.62mm

Full Matrix	Sign Size L*H*D(mm)	Gross Weight(kg)	Max. Char./Ht	Max.Power (w)
16*40	372*162*60	3.4	10 Char./4.8"	32
16*80	667*162*60	4.6	20 Char./4.8"	64
16*120	972*162*60	5.8	30 Char./4.8"	96
16*160	1277*162*60	7.2	40 Char./4.8"	128
16*200	1582*162*60	8.4	50 Char./4.8"	160
16*240	1887*162*60	10.4	60 Char./4.8"	192



Three-line moving message sign




Pitch=7.62mm

Full Matrix	Sign Size L*H*D(mm)	Gross Weight(kg)	Max. Char./Ht	Max.Power (w)
24*80	665*223*88	8	30 Char./7.2"	96
24*120	970*223*88	10.6	45 Char./7.2"	144
24*160	1275*223*88	13.4	60 Char./7.2"	192
24*200	1580*223*88	16	75 Char./7.2"	240
24*240	1906*223*88	19	90 Char./7.2"	288

Four-line moving message sign

Pitch=7.62mm				
Full Matrix	Sign Size L*H*D(mm)	Gross Weight(kg)	Max. Char./Ht	Max.Power (w)
32*80	665*284*88	9.4	40 Char./9.3"	128
32*120	970*284*88	12.4	60 Char./9.3"	192
32*160	1275*284*88	15.2	80 Char./9.3"	256
32*200	1580*284*88	18.8	100 Char./9.3"	320
32*240	1879*284*88	23	120 Char./9.3"	384

Multi-line moving message sign



Multi-Line LED Display			
Features 1.Above 5 lines customization available 2.Color: Tricolor/Red/Yellow/Green/Blue/White 3.Accessories:AC powered line, Remote Control, CD, Communication Cable, Installation Fittings			

PH7.62mm Semi-outdoor LED display

Semi-outdoor LED Display



For semi-outdoor or window display applications

Pixel Distance: 7.62mm


Color: ultra-bright

Accessories: AC powered, Remote Control, CD, Communication Cable, Installation Fittings

- ◆ Ultra-bright blue color
- ◆ All function can be edited by remote control and PC software
- ◆ 24 kinds of display modes, 5 grades display speeds, 10 grade stop-time.
- ◆ Adjustable font size and style. 15 kinds of text fonts from very small to very large type
- ◆ International character of changeable font
- ◆ High precision Real time clock & calendar, 10 kinds of time forms
- ◆ Automatic power on/off and message switching by time of day and/or day-of-the-week
- ◆ RS-232, RS-485, Ethernet, Wireless Ethernet available
- ◆ Firmware and Fonts Upgrade on-line

Semi-outdoor LED Display—RED/Yellow/Blue/Green/white/RGB





PH10mm WINDOW LED DISPLAY

Function:

- ◆ Ultra bright—red, yellow, green, blue, white optional
- ◆ All function can be edited by remote control or PC software
- ◆ RS-232/RS-485/Ethernet/Wireless Ethernet optional
- ◆ Power: AC 110/220v optional
- ◆ 8kinds of fonts ,from small to big ,10 kinds of time formats, temp. display optional
- ◆ Turn on/off to set time
- ◆ 22 kinds of display mode, 5 grade display speed, 10 grade stop-time
- ◆ AUTO./manual brightness control
- ◆ Firmware and Fonts update on-line

Two-Line Window LED Displays



Mode	Pixel pitch	Power consumption	Dimension
16*64	10mm	50w	710mm(L) X 230mm(W) X 90mm(D)
16*96	10mm	75w	1030mm(L) X 230mm(W) X 90mm(D)
16*128	10mm	100w	1350mm(L) X 230mm(W) X 90mm(D)
16*160	10mm	125w	1670mm(L) X 230mm(W) X 90mm(D)
16*192	10mm	150w	1990mm(L) X 230mm(W) X 90mm(D)
16*224	10mm	175w	2310mm(L) X 230mm(W) X 90mm(D)
16*256	10mm	200w	2630mm(L) X 230mm(W) X 90mm(D)

Three-Line Window LED Displays

Mode	Pixel pitch	Power consumption	Dimension
24*64	10mm	70w	710mm(L) X 310mm(W) X 90mm(D)
24*96	10mm	105w	1030mm(L) X 310mm(W) X 90mm(D)
24*128	10mm	140w	1350mm(L) X 310mm(W) X 90mm(D)
24*160	10mm	175w	1670mm(L) X 310mm(W) X 90mm(D)
24*192	10mm	210w	1990mm(L) X 310mm(W) X 90mm(D)
24*224	10mm	245w	2310mm(L) X 310mm(W) X 90mm(D)
24*256	10mm	280w	2630mm(L) X 310mm(W) X 90mm(D)

Four-Line Window LED Displays



Mode	Pixel pitch	Power consumption	Dimension
32*64	10mm	100w	710mm(L) X 390mm(W) X 90mm(D)
32*96	10mm	150w	1030mm(L) X 390mm(W) X 90mm(D)
32*128	10mm	200w	1350mm(L) X 390mm(W) X 90mm(D)
32*160	10mm	250w	1670mm(L) X 390mm(W) X 90mm(D)
32*192	10mm	300w	1990mm(L) X 390mm(W) X 90mm(D)
32*224	10mm	350w	2310mm(L) X 390mm(W) X 90mm(D)
32*256	10mm	400w	2630mm(L) X 390mm(W) X 90mm(D)

Six-Line Window LED Displays



Mode	Pixel pitch	Power consumption	Dimension
48*64	10mm	150w	710mm(L) X 530mm(W) X 90mm(D)
48*96	10mm	225w	1030mm(L) X 530mm(W) X 90mm(D)
48*128	10mm	300w	1350mm(L) X 530mm(W) X 90mm(D)
48*160	10mm	375w	1670mm(L) X 530mm(W) X 90mm(D)
48*192	10mm	450w	1990mm(L) X 530mm(W) X 90mm(D)
48*224	10mm	525w	2310mm(L) X 530mm(W) X 90mm(D)
48*256	10mm	400w	2630mm(L) X 530mm(W) X 90mm(D)

Multi-Line Window LED Displays



- ◆ Mode: 8line/10line/12line14line/16line
- ◆ Pixel Pitch: 10mm
- ◆ Power Consumption:
- ◆ Color: Ultra-Bright-Red/Yellow/Green/Blue/White